

INTRODUCTION

40000L-Oil dispenser




This product uses double islands, 4 refueling machines, and 8 refueling guns. CPU open protocol, you can contact the IC card management system. The built-in water tank has 2 positions, controlled by a valve, and can be switched between single/double

use. The tanks are actually used. Capacity 40000L.

Product Name	40000L mobile fuel station	Application	Fuel Station
Model Number	40000L	Kind	Fuel-servicing Equipment
Material	Q235	Emergency pressure relief	21-35kPa
Surface Treatment	Epoxy zinc-rich primer + epoxy mica intermediate coat + polyurethane topcoat	temperature range	-40°C~+70°C
Brand Name	DESEINOR	Max Power	8Kw or 14Kw
Working Voltage	220V/380V	Conditions	New
Relevant standard	UL142 tank standard design and manufacturing	Installation Method	Parallel Placement
Packing Size			
L*W*H(CM)	1026*290*320		
QTY/CTN	1		
N.W(KGS)	14700KGS		

Stainless steel guardrails, solar LED lighting, Developed a new function, the automatic discharge valve, which can directly discharge the liquid after cleaning the tank, and added a visual flange to observe the flow direction of the liquid at any time





DESEINOR complies with UL142 manufacturing standards and has complete design solutions. We have delivered multiple projects of mobile fuel stations and container-type fuel stations for customers worldwide. Equipped with dual fire extinguishers, smoke alarm system, explosion-proof lighting, The operating system is explosion-proof to close and open, set parameters, and the tank is made of 8MM standard Q235 material, in line with UL certification standards. Dual machines, 4 fuel nozzles, 50-75L per minute refueling options are available, Equipped with a 10-meter reel and retractor to facilitate remote refueling






Explosion-proof liquid level system, expandable APP port development, liquid high and low level display and alarm light flashing, liquid level synchronization when refueling, data recording, network connection to the device, dual bins and dual displays, English, Arabic and other languages can be set.



Presentation of partial details



XUZHOU DESHENG Petrol Machine Co.,Ltd.

DESEINOR

:

DESEINOR

www.shiyoujx.com

NO.8 ,JINSHAN RD, LINKONG INDUSTRIAL PARK,
SHUANGGOU TOWN, SUINING COUNTY, XUZHOU CITY,
JIANGSU PROVINCE, CHINA

10	● Pressure Vacuum Breathing / Flame Arrestor Valves	Breathing valve working pressure 2kpa-3kpa, working pressure 1.5kpa-2kpa/ZFQ-1 C class	Desheng
11	● Mezzanine Leak Monitor	Tubular sight glass, tank leaks can be quickly detected	Domestic Famous Brands
12	● petrol dispenser	flameproof 220V/380V	Desheng
13	● Electronic Liquid Level Meter	Digital display high and low liquid level alarm reminder	Domestic Famous Brands
14	● Liquid Level Console	Visible tank liquid control height setting	Domestic Famous Brands
15	● Explosion-proof oil unloading systems	Vertical explosion-proof oil pump, flow rate 15M³/hour, head 20M, motor for explosion-proof type (d I I), protection grade IP55/pipe diameter DN80, unloading port quick coupling DN80 self-sealing ball valve	Domestic Famous Brands
16	● High-speed silent unloading pump	380V flameproof	Domestic Famous Brands
17	○ High and low level oil unloading automatic report system		Domestic Famous Brands
18	○ Automatic shut-off system for high liquid level unloading		Domestic Famous Brands
19	○ Heat insulation and fireproof board		Domestic Famous Brands
20	● Explosion-proof Intelligent Magnetic Level Meter	Magnetic Flip-Flop Level Meter	Domestic Famous Brands
21	● Anti-dry type intelligent magnetostrictive liquid level carbon rod	Precise measurement, level display	Domestic Famous Brands
22	● Explosion-proof distribution systems	Explosion-proof distribution box BXMD-61, 380V All circuit systems of the equipment are made explosion-proof and effectively grounded.	Domestic Famous Brands
23	● Explosion-proof lighting fixtures	Explosion-proof ceiling lamp, one-piece design, explosion-proof according to ExellT4	Domestic Famous Brands
24	● Oil and gas alarm devices	With concentration display and audible and visual alarms, installed at the refuelling site or in the valve room of the unloading pump, with sound intensity > 90 (db). or unloading pump valve room, sound intensity ≥ 90 (db), explosion-proof marking ExdIBT4, protection class IP65.	Domestic Famous Brands
25	● Static Grounding Alarm System	Includes static earth alarm, aluminium electrostatic clamps for connection to unloading trucks. Aluminium electrostatic clips for connection to the tanker (3 metre wire at grounding end, 4 metre wire at clamping end), braided copper wire for grounding, 4 grounding electrodes (to ensure grounding resistance < 4Ω)	Domestic Famous Brands
26	○ Limited/Wireless IC Card Management System, Statement Printer, Ticket Printer	Options according to customer requirements	Domestic Famous Brands
27	○ Wireless Management System	Options according to customer requirements	Domestic Famous Brands
28	○ canopy	Options according to customer requirements	Desheng
29	● Primary/Secondary Oil and Gas Recovery Systems	National Standard Primary/Secondary Oil and Gas Recovery Treatment	Desheng

